
Discrete Events Simulation

Michel Bierlaire

`michel.bierlaire@epfl.ch`

Transport and Mobility Laboratory

Simulation of a system

- Generate the stochastic mechanisms of the systems.
- Collect the evolution of given indicators over time.
- Book-keeping may be complex.
- Need for a general framework.

Discrete event simulation

Discrete Event Simulation

Keep track of variables:

- Time variable t : amount of time that has elapsed.
- Counter variables: count events having occurred by t
- System state variables.

Events:

- List of future events sorted in chronological order
- Process the next event:
 - remove the first event in the list,
 - update the variables,
 - generate new events, if applicable (keep the list sorted),
 - collect statistics.

Discrete Event Simulation: an example

Example: Satellite

- Today, Riccardo works alone at the bar at Satellite.
- When a customer arrives, she is served if Riccardo is free. Otherwise, she joins the queue.
- Customers are served using a “first come, first served” logic.
- When Riccardo has finished serving a customer,
 - he starts serving the next customer in line, or
 - waits for the next customer to arrive if the queue is empty.
- The amount of time required by Riccardo to serve a customer is a random variable X_s with pdf f_s .
- The amount of time between the arrival of two customers is a random variable X_a with pdf f_a .
- Satellite does not accept the arrival of customers after time T .

Discrete Event Simulation: an example

Possible questions:

- In average, how much time does a customer wait after her arrival, until being served?
- When can Riccardo go home?

Discrete Event Simulation: an example

Variables:

Time:	t	
Counters:	N_A	number of arrivals
	N_D	number of departures
System state:	n	number of customers in the system

Event list:

- Next arrival. Time: t_A
- Service completion for the customer currently being served. Time: t_D (∞ if no customer is being served).
- The bar closes. Time: T .

List management:

- The number of events is always 3 in this example.
- We just need to update the times, and keep them sorted.

Initialization

- Time: $t = 0$.
- Counters: $N_A = N_D = 0$.
- State: $n = 0$.
- First event: arrival of first customer: draw r from f_a .
- Events list:
 - $t_A = r$,
 - $t_D = \infty$,
 - T (bar closes).

Statistics to collect:

- $A(i)$ arrival of customer i .
- $D(i)$ departure of customer i .
- T_p time after T that the last customer departs.

Case 1: arrival of a customer

If $t_A = \min(t_A, t_D, T)$

- Time $t = t_A$: we move along to time t_A .
- Counter $N_A = N_A + 1$: one more customer arrived.
- State $n = n + 1$: one more customer in the system.
- Next arrival:
 - draw r from f_a ,
 - $t_A = t + r$.
- Service time: if $n = 1$ (she is served immediately)
 - draw s from f_s ,
 - $t_D = t + s$.
- Statistics: $A(N_A) = t$.

Case 2: departure of a customer

Conditions: $t_D = \min(t_A, t_D, T)$, $t_D < t_A$

- Time $t = t_D$: we move along to time t_D .
- Counter $N_D = N_D + 1$: one more customer departed.
- State $n = n - 1$: one less customer in the system.
- Service time: if $n = 0$, then $t_D = \infty$. Otherwise,
 - draw s from f_s ,
 - $t_D = t + s$.
- Statistics: $D(N_D) = t$.

Case 3: after hours

Conditions: $T < \min(t_A, t_D)$,

1. Customers are still waiting: $n > 0$

- Time $t = t_D$: we move along to time t_D .
- Counter $N_D = N_D + 1$: one more customer departed.
- State $n = n - 1$: one less customer in the system.
- Service time: if $n > 0$, then
 - draw s from f_s ,
 - $t_D = t + s$.
- Statistics: $D(N_D) = t$.

2. No more customers: $n = 0$

- Statistics: $T_p = \max(t - T, 0)$.

An instance

Scenario:

- Service time: exponential with mean 1.0
- Inter-arrival time: exponential with mean 1.0
- Closing time: 10.0

An instance (ctd.)

Event	t	NA	ND	n	tA	tD	T
Arrival	0.94	1	0	1	1.48	3.22	10.0
Arrival	1.48	2	0	2	2.01	3.22	10.0
Arrival	2.01	3	0	3	3.16	3.22	10.0
Arrival	3.16	4	0	4	3.44	3.22	10.0
Departure	3.22	4	1	3	3.44	3.49	10.0
Arrival	3.44	5	1	4	3.81	3.49	10.0
Departure	3.49	5	2	3	3.81	3.91	10.0
Arrival	3.81	6	2	4	7.22	3.91	10.0
Departure	3.91	6	3	3	7.22	5.84	10.0
Departure	5.84	6	4	2	7.22	5.88	10.0
Departure	5.88	6	5	1	7.22	6.49	10.0
Departure	6.49	6	6	0	7.22	∞	10.0
Arrival	7.22	7	6	1	7.42	7.38	10.0

...

An instance (ctd.)

Event	t	NA	ND	n	tA	tD	T
...							
Departure	7.38	7	7	0	7.42	∞	10.0
Arrival	7.42	8	7	1	8.58	8.42	10.0
Departure	8.42	8	8	0	8.58	∞	10.0
Arrival	8.58	9	8	1	9.64	9.91	10.0
Arrival	9.64	10	8	2	10.7	9.91	10.0
Departure	9.91	10	9	1	10.7	10.7	10.0
After hours	10.7	10	10	0	10.7	10.7	10.0
Finish	10.7	10	10	0	10.7	10.7	10.0

An instance (ctd.)

Statistics for each customer (rounded):

Cust.	Arrival	Departure	Time
1	0.94	3.22	2.28
2	1.48	3.49	2.02
3	2.01	3.91	1.9
4	3.16	5.84	2.68
5	3.44	5.88	2.45
6	3.81	6.49	2.68
7	7.22	7.38	0.165
8	7.42	8.42	1.0
9	8.58	9.91	1.33
10	9.64	10.7	1.02

- Average time in the system: 1.75
- Riccardo leaves Satellite at 10.7

Another instance

Scenario: Riccardo works faster

- Service time: exponential with mean 0.2
- Inter-arrival time: exponential with mean 1.0
- Closing time: 10.0

An instance (ctd.)

Event	t	NA	ND	n	tA	tD	T
Arrival	1.02	1	0	1	3.14	1.38	10.0
Departure	1.38	1	1	0	3.14	∞	10.0
Arrival	3.14	2	1	1	6.97	3.25	10.0
Departure	3.25	2	2	0	6.97	∞	10.0
Arrival	6.97	3	2	1	7.08	7.26	10.0
Arrival	7.08	4	2	2	7.24	7.26	10.0
Arrival	7.24	5	2	3	10.0	7.26	10.0
Departure	7.26	5	3	2	10.0	8.32	10.0
Departure	8.32	5	4	1	10.0	8.51	10.0
Departure	8.51	5	5	0	10.0	∞	10.0
Finish	10.0	5	5	0	10.0	∞	10.0

An instance (ctd.)

Statistics for each customer (rounded):

Cust.	Arrival	Departure	Time
1	1.02	1.38	0.355
2	3.14	3.25	0.11
3	6.97	7.26	0.296
4	7.08	8.32	1.24
5	7.24	8.51	1.27

- Average time in the system: 0.654
- Riccardo leaves Satellite at 10.0.
- He stops working at 8.51.

Notes

- The indicators under interest are random variables.
- Running the simulator provides one realization of these r.v.
- A large number of realizations must be drawn to have an idea of the distribution.
- It is not unusual to have indicators with complex distribution, that is multi-modal and asymmetric. Therefore, the mean may not always be sufficient to describe the r.v.