Simulation laboratory 1: Random number generation and Poisson process

Rico Krueger

Transport and Mobility Laboratory School of Architecture, Civil and Environmental Engineering École Polytechnique Fédérale de Lausanne

18 February, 2020





Krueger, R. (TRANSP-OR)

1. Random number generation:

- Understand how to draw from a distribution
- Apply the inverse transform method

2. Poisson process:

- Understand how to generate events
- Understand difference between homogeneous and nonhomogeneous Poisson processes
- Apply the thinning algorithm

Overview

Implementation:

- Exponential random numbers
- e Homogeneous Poisson process
- Sonhomogeneous Poisson process

Steps:

- Q Read the specifications (written in the distributed Python codes)
- Implement the requested functions
- Itest the functions

Exponential random numbers

2 Homogeneous Poisson process

3 Nonhomogeneous Poisson process



TO DO:

- Use the inverse transform method given a uniform distributed random number
- Explore your programme: change number of draws and/or parameter, compare to theoretical distribution









Homogeneous Poisson process

TO DO:

- Use the function for exponential random number generation
- Explore the programme.





Onhomogeneous Poisson process



Nonhomogeneous Poisson process

TO DO:

- \bullet Use the thinning algorithm: be aware of a function for $\lambda(t)$
- Let $\lambda(t) = \lambda \cdot \sin(t) + \lambda$
- Compare results to homogeneous Poisson process.

Extra questions

- What is the efficiency, i.e., the number of accepted values over the total number of generated values, of this non homogeneous Poisson process with a unique λ where $\lambda(t) \leq \lambda$?
- $\label{eq:linear} \textbf{O} \mbox{ Can the efficiency be improved using several piecewise constant } \lambda_i \\ \mbox{where } \lambda(t) \leq \lambda_i, \ t_{i-1} \leq t \leq t_i?$









Exponential random numbers



Homogeneous Poisson process



Non-homogeneous Poisson process



Non-homogeneous Poisson process - Extra questions

- Q: What is the efficiency, i.e., the number of accepted values over the total number of generated values, of this non homogeneous Poisson process with a unique λ where $\lambda(t) \leq \lambda$? A: 0.59
- Q: Implement a non homogeneous Poisson process with multiple λ_is. What is the new efficiency?
 A: λ_i ∈ {λ/2, λ} and t_i = iπ so that λ(t) ≤ λ_i ≤ λ is satisfied throughout the interval. New efficiency equals to 0.73.



Krueger, R. (TRANSP-OR)

Optimization and Simulation

18 February, 2020 16 / 16